

---

**The American College of Radiology**

**Lung Cancer  
Screening Registry  
(LCSR)**

---

**Measures**

January 2023

American College of Radiology  
1891 Preston White Drive  
Reston, VA 20191-4397

NRDR  
**LCSR**<sup>™</sup>  
**LUNG CANCER SCREENING  
REGISTRY**  

---

**AMERICAN COLLEGE OF RADIOLOGY**

## Contents

1. Appropriateness of screening by USPSTF 2013 criteria .....	4
2. Appropriateness of screening by USPSTF 2021 criteria .....	4
3. Smoking cessation offered.....	5
4. Smoking cessation offered among current smokers .....	5
5. Non-smoking rate .....	6
6. Adherence to annual screening.....	6
7. Radiation exposure 1: Mean CTDIvol overall.....	7
8. Radiation exposure: Mean CTDIvol underweight (BMI<18.5).....	8
9. Radiation exposure: Mean CTDIvol healthy weight (BMI 18.5-24.9).....	8
10. Radiation exposure: Mean CTDIvol overweight (BMI 25-29.9).....	9
11. Radiation exposure: Mean CTDIvol obese (BMI of 30 or greater) .....	9
12. Radiation exposure: Mean CTDIvol obese class I (BMI of 30-34.9) .....	10
13. Radiation exposure: Mean CTDIvol obese class II (BMI of 35-39.9).....	10
14. Radiation exposure: Mean CTDIvol obese class III (BMI of 40 or greater) .....	11
15. Radiation exposure: Mean CTDIvol low dose chest exams .....	11
16. Radiation exposure: Mean CTDIvol routine (not low dose) chest exams .....	12
17. Radiation exposure: Mean DLP overall.....	12
18. Radiation exposure: Mean DLP underweight (BMI<18.5) .....	13
19. Radiation exposure: Mean DLP healthy weight (BMI 18.5-24.9).....	13
20. Radiation exposure: Mean DLP overweight (BMI 25-29.9) .....	14
21. Radiation exposure: Mean DLP obese (BMI of 30 or greater).....	14
22. Radiation exposure: Mean DLP obese class I (BMI of 30-34.9) .....	15
23. Radiation exposure: Mean DLP obese class II (BMI of 35-39.9).....	15
24. Radiation exposure: Mean DLP obese class III (BMI of 40 or greater) .....	16
25. Radiation exposure: Mean DLP routine chest exams .....	16
26. Radiation exposure: Mean DLP other than routine chest exams .....	17
27. Lung Cancer Screening Abnormal Interpretation Rate.....	17
28. Lung Cancer Screening Abnormal Interpretation Rate during baseline exam.....	17
29. Lung Cancer Screening Abnormal Interpretation Rate during annual exam .....	18
30. Cancer Detection Rate (CDR) per 1,000 screening exams .....	19
31. CDR for prevalent cancers, detected at baseline exam per 1,000 baseline .....	19
screening exams.....	19
32. CDR for incident cancers, detected at annual exam per 1,000 annual .....	20
screening exams.....	20

33.	CDR stage 0.....	20
34.	CDR stage IA, IA1, IA2, IA3, IB .....	21
35.	CDR stage IIA, IIB .....	21
36.	CDR stage IIIA, IIIB, IIIC.....	22
37.	CDR stage IV, IVA, IVB.....	22
38.	CDR for unknown stage .....	23
39.	CDR for presumptive case.....	23
40.	Positive Predictive Value (PPV1).....	24
41.	PPV1 for lung cancers detected surgically .....	24
42.	PPV1 for lung cancers detected on percutaneous biopsies .....	25
43.	PPV1 for lung cancers detected on bronchoscopies .....	25
44.	Positive Predictive Value 2a (PPV2a) .....	26
45.	Positive Predictive Value 2b (PPV2b).....	27
46.	Positive Predictive Value 3 (PPV3).....	27
	GLOSSARY OF TERMS.....	28
10.	Positive screening exam is.....	30

---

## LCSR Measures

---

### 1. Appropriateness of screening by USPSTF 2013 criteria

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• Patient's date of birth</li><li>• Number of pack-years of smoking</li><li>• Number of years since quit</li><li>• Smoking status</li></ul>	<p><b>Measure Description:</b> Percent of screening exams done on adults who are aged 55 to 80 years, have a 30 pack-year smoking history, and currently smoke or have quit within the past 15 years.</p> <p><b>Numerator:</b> Number of exams done on patients aged 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 2. Appropriateness of screening by USPSTF 2021 criteria

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• Patient's date of birth</li><li>• Number of pack-years of smoking</li><li>• Number of years since quit</li><li>• Smoking status</li></ul>	<p><b>Measure Description:</b> Percent of screening exams done on adults who are aged 50 to 80 years, have a 20 pack-year smoking history, and currently smoke or have quit within the past 15 years.</p> <p><b>Numerator:</b> Number of exams done on patients aged 55 to 80 years who have a 30 pack-year smoking history and currently smoke or have quit within the past 15 years.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 3. Smoking cessation offered

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>Did physician provide smoking cessation guidance to patient?</li></ul>	<p><b>Measure description:</b> Percent of exams where patients are offered smoking cessation guidance.</p> <p><b>Numerator:</b> Number of exams where smoking cessation guidance were offered</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 4. Smoking cessation offered among current smokers

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>Did physician provide smoking cessation guidance to patient?</li><li>Smoking status</li></ul>	<p><b>Measure description:</b> Percent of screening exams done on current smokers who are offered smoking cessation guidance.</p> <p><b>Numerator:</b> Number of screening exams where smoking cessation guidance were offered</p> <p><b>Denominator:</b> Number of screening exams where the patient currently smokes</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 5. Non-smoking rate

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>Smoking status</li></ul>	<p><b>Measure description:</b> Percent of patients reporting as Former Smoker out of all patients reporting as Current Smoker, Former Smoker, or Smoker, Current Status Unknown</p> <p><b>Numerator:</b> Number of screening exams among former smokers</p> <p><b>Denominator:</b> Number of screening exams among patients reporting as Current Smoker, Former Smoker, or Smoker, Current Status Unknown</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 6. Adherence to annual screening

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>Examination date</li><li>CT exam results by Lung-RADS category</li></ul>	<p><b>Measure description:</b> Percent of patients with follow-up exam 11-15 months after previous screening (where previous screening met appropriateness criteria and had Lung RADS 1 or 2)</p> <p><b>Numerator:</b> Number of patients with follow-up exam 11-15 months after previous screening smokers</p> <p><b>Denominator:</b> Number of patients where previous screening met appropriateness criteria and had Lung RADS 1 or 2</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 7. Radiation exposure 1: Mean CTDIvol overall

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CTDIvol (mGy)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed</p> <p><b>Numerator:</b> Total CTDIvol for all screening exams performed</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 8. Radiation exposure: Mean CTDIvol underweight (BMI<18.5)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on underweight patients (BMI&lt;18.5)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on underweight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were underweight (BMI&lt;18.5)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 9. Radiation exposure: Mean CTDIvol healthy weight (BMI 18.5-24.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on normal weight patients (BMI 18.5-24.9)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on normal-weight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were normal-weight (BMI 18.5-24.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>



---

## LCSR Measures

---

### 10. Radiation exposure: Mean CTDIvol overweight (BMI 25-29.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on overweight patients (BMI 25-29.9)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on overweight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were overweight (BMI 25-29.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 11. Radiation exposure: Mean CTDIvol obese (BMI of 30 or greater)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on obese patients (BMI of 30 or greater)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese (BMI of 30 or greater)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 12. Radiation exposure: Mean CTDIvol obese class I (BMI of 30-34.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on obese patients class I (BMI of 30-34.9)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese class I (BMI of 30-34.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 13. Radiation exposure: Mean CTDIvol obese class II (BMI of 35-39.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CTDIvol (mGy)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on obese patients class II (BMI of 35-39.9)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese class II (BMI of 35-39.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 14. Radiation exposure: Mean CTDIvol obese class III (BMI of 40 or greater)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CTDIvol (mGy)</li><li>Patient height (inches)</li><li>Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening exams performed on obese patients class III (BMI of 40 or greater)</p> <p><b>Numerator:</b> Total CTDIvol across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese class III (BMI of 40 or greater)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 15. Radiation exposure: Mean CTDIvol low dose chest exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CTDIvol (mGy)</li><li>Modality</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening other than routine chest exams performed</p> <p><b>Numerator:</b> Total CTDIvol for all screening other than routine chest exams performed</p> <p><b>Denominator:</b> Number of screening other than routine chest exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 16. Radiation exposure: Mean CTDIvol routine (not low dose) chest exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CTDIvol (mGy)</li><li>Modality</li></ul>	<p><b>Measure description:</b> Mean Volumetric CT Dose Index (CTDIvol) across all screening routine chest exams performed</p> <p><b>Numerator:</b> Total CTDIvol for all screening routine chest exams performed</p> <p><b>Denominator:</b> Number of screening routine chest exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 17. Radiation exposure: Mean DLP overall

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li></ul>	<p>Measure description: Mean Dose Length Product (DLP) across all screening exams performed</p> <p>Numerator: Total DLP for all screening exams performed</p> <p>Denominator: Number of screening exams</p> <p>Numerator and Denominator Exclusion: None</p>

---

## LCSR Measures

---

### 18. Radiation exposure: Mean DLP underweight (BMI<18.5)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li><li>Patient height (inches)</li><li>Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on underweight patients (BMI&lt;18.5)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on underweight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were underweight (BMI&lt;18.5)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 19. Radiation exposure: Mean DLP healthy weight (BMI 18.5-24.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li><li>Patient height (inches)</li><li>Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on normal weight patients (BMI 18.5-24.9)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on normal-weight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were normal-weight (BMI 18.5-24.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 20. Radiation exposure: Mean DLP overweight (BMI 25-29.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• DLP (mGy*cm)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on overweight patients (BMI 25-29.9)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on overweight patients</p> <p><b>Denominator:</b> Number of screening exams where patients were overweight (BMI 25-29.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 21. Radiation exposure: Mean DLP obese (BMI of 30 or greater)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• DLP (mGy*cm)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on obese patients (BMI 30 or greater)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese (BMI of 30 or greater)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 22. Radiation exposure: Mean DLP obese class I (BMI of 30-34.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• DLP (mGy*cm)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on obese class I patients (BMI 30-34.9)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese (BMI of 30-34.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 23. Radiation exposure: Mean DLP obese class II (BMI of 35-39.9)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• DLP (mGy*cm)</li><li>• Patient height (inches)</li><li>• Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on obese class II patients (BMI 35-39.9)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese (BMI of 35-39.9)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 24. Radiation exposure: Mean DLP obese class III (BMI of 40 or greater)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li><li>Patient height (inches)</li><li>Patient weight (lbs)</li></ul>	<p><b>Measure description:</b> Mean Dose Length Product (DLP) across all screening exams performed on obese class III patients (BMI 40 or greater)</p> <p><b>Numerator:</b> Total DLP across all screening exams performed on obese patients</p> <p><b>Denominator:</b> Number of screening exams where patients were obese (BMI of 40 or greater)</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 25. Radiation exposure: Mean DLP routine chest exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li><li>Modality</li></ul>	<p>Measure description: Mean Dose Length Product (DLP) across all screening routine chest exams performed</p> <p>Numerator: Total DLP for all routine chest screening exams performed</p> <p>Denominator: Number of screening routine chest exams</p> <p>Numerator and Denominator Exclusion: None</p>



---

## LCSR Measures

---

### 26. Radiation exposure: Mean DLP other than routine chest exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>DLP (mGy*cm)</li><li>Modality</li></ul>	<p>Measure description: Mean Dose Length Product (DLP) across all screening other than routine chest exams performed</p> <p>Numerator: Total DLP for all other than routine chest screening exams performed</p> <p>Denominator: Number of screening other than routine chest exams</p> <p>Numerator and Denominator Exclusion: None</p>

### 27. Lung Cancer Screening Abnormal Interpretation Rate

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li></ul>	<p><b>Measure description:</b> Percent of screening exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Numerator:</b> Number of exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 28. Lung Cancer Screening Abnormal Interpretation Rate during baseline exam

Data Elements	Clinical Performance Measure
---------------	------------------------------

## LCSR Measures

<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> </ul>	<p><b>Measure description:</b> Percent of baseline screening exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Numerator:</b> Number of baseline exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Denominator:</b> Number of baseline screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>
--	--

### 29. Lung Cancer Screening Abnormal Interpretation Rate during annual exam

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> </ul>	<p><b>Measure description:</b> Percent of annual screening exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Numerator:</b> Number of annual exams that have a Lung-RADS assessment of 3, 4a, 4b, or 4x (assessment categories that may lead to additional imaging or biopsy).</p> <p><b>Denominator:</b> Number of annual screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 30. Cancer Detection Rate (CDR) per 1,000 screening exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 31. CDR for prevalent cancers, detected at baseline exam per 1,000 baseline screening exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Indication for exam</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Number of baseline screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of baseline screening exam, per 1,000 baseline screening exams.</p> <p><b>Numerator:</b> Number of baseline screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of baseline screening exam.</p> <p><b>Denominator:</b> Number of baseline screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 32. CDR for incident cancers, detected at annual exam per 1,000 annual screening exams

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Indication for exam</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Number of annual screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of annual screening exam, per 1,000 annual screening exams.</p> <p><b>Numerator:</b> Number of annual screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of annual screening exam.</p> <p><b>Denominator:</b> Number of annual screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 33. CDR stage 0

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 0 within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 0 within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 34. CDR stage IA, IA1, IA2, IA3, IB

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 1 within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 1 within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 35. CDR stage IIA, IIB

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 2 within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 2 within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 36. CDR stage IIIA, IIIB, IIIC

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 3 within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 3 within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 37. CDR stage IV, IVA, IVB

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 4 within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of cancer stage 4 within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 38. CDR for unknown stage

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li><li>Overall stage</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of unknown cancer stage within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had a tissue diagnosis of unknown cancer stage within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 39. CDR for presumptive case

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had other than a tissue diagnosis of cancer within 365 days of screening exam, per 1,000 lung cancer screening exams.</p> <p><b>Numerator:</b> Number of screening exams with a Lung-RADS assessment category of 3 or 4 that had other than a tissue diagnosis of cancer within 365 days of screening exam.</p> <p><b>Denominator:</b> Number of screening exams</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 40. Positive Predictive Value (PPV1)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Percent of patients recommended for biopsy who are subsequently diagnosed with lung cancer within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4 and a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 41. PPV1 for lung cancers detected surgically

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>CT exam result by Lung-RADS category</li><li>Tissue diagnosis</li><li>Tissue diagnosis method</li><li>Exam date/Date of screening</li><li>Date of follow-up</li></ul>	<p><b>Measure Description:</b> Percent of patients recommended for biopsy who are subsequently diagnosed with lung cancer by surgical tissue diagnosis method within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4 and a tissue diagnosis of cancer within 365 days of screening exam where tissue diagnosis method was surgical</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>



### 42. PPV1 for lung cancers detected on percutaneous biopsies

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> <li>Tissue diagnosis</li> <li>Tissue diagnosis method</li> <li>Exam date/Date of screening</li> <li>Date of follow-up</li> </ul>	<p><b>Measure Description:</b> Percent of patients recommended for biopsy who are subsequently diagnosed with lung cancer by percutaneous biopsies within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4 and a tissue diagnosis of cancer within 365 days of screening exam where tissue diagnosis method was percutaneous</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 43. PPV1 for lung cancers detected on bronchoscopies

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> <li>Tissue diagnosis</li> <li>Tissue diagnosis method</li> <li>Exam date/Date of screening</li> <li>Date of follow-up</li> </ul>	<p><b>Measure Description:</b> Percent of patients recommended for biopsy who are subsequently diagnosed with lung cancer by bronchoscopy within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had Lung-RADS assessment category of 3 or 4 and a tissue diagnosis of cancer within 365 days of screening exam where tissue diagnosis method was bronchoscopy</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

---

## LCSR Measures

---

### 44. Positive Predictive Value 2a (PPV2a)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"><li>• CT exam result by Lung-RADS category</li><li>• Tissue diagnosis</li><li>• Exam date/Date of screening</li><li>• Date of follow-up</li></ul>	<p><b>Measure Description:</b> Percent of patients that had a Lung-RADS assessment category of 3 or 4a (typically associated with additional CT recommendation or PET/CT recommendation) and a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 3 or 4a and a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 3, 4a</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 45. Positive Predictive Value 2b (PPV2b)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> <li>Tissue diagnosis</li> <li>Exam date/Date of screening</li> <li>Date of follow-up</li> </ul>	<p><b>Measure Description:</b> Percent of patients that had a Lung-RADS assessment category of 4B or 4X (typically associated with biopsy recommendation) and a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 4B or 4X and a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 4B or 4X</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### 46. Positive Predictive Value 3 (PPV3)

Data Elements	Clinical Performance Measure
<ul style="list-style-type: none"> <li>CT exam result by Lung-RADS category</li> <li>Tissue diagnosis</li> <li>Follow-up diagnostic</li> <li>Exam date/Date of screening</li> <li>Date of follow-up</li> </ul>	<p><b>Measure Description:</b> Percent of patients that had a Lung-RADS assessment category of 4B or 4X (typically associated with biopsy recommendation) and with record of biopsy performed that had a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Numerator:</b> Number of screening exams that had a Lung-RADS assessment category of 4B or 4X and with a record of biopsy performed that had a tissue diagnosis of cancer within 365 days of screening exam</p> <p><b>Denominator:</b> Number of screening exams that had a Lung-RADS assessment category of 4B or 4X and with record of biopsy performed</p> <p><b>Numerator and Denominator Exclusion:</b> None</p>

### GLOSSARY OF TERMS

1. **Abnormal Interpretation Rate:** The percentage of exams interpreted as positive. For lung cancer screening CT, positive exams include Lung-RADS® Categories 3 and 4 assessments.

$$\text{Abnormal Interpretation Rate} = (\text{positive exams}) / (\text{all exams})$$

2. **Cancer:** Tissue diagnosis of non-small cell or small cell lung cancer.
3. **Cancer Detection Rate:** The number of cancers correctly detected at screening CT per 1,000 patients examined at screening CT. This may be calculated separately for PREVALENT cancers (those found at a baseline or first time lung cancer screening CT exam) and for INCIDENT cancers (those found at subsequent screening exams performed at or close to the recommended screening interval).
4. **False Positive (FP):** This includes each of the following three definitions.
  - FP<sub>1</sub>: No known or presumed tissue diagnosis of lung cancer within 1 year of a positive screening exam (Lung-RADS® Category 3 or 4).
  - FP<sub>2</sub>: No known tissue diagnosis of cancer within 1 year after recommendation for biopsy or surgical consultation on the basis of a positive examination (LungRADS® Category 4B or 4X)
  - FP<sub>3</sub>: Benign tissue diagnosis within 1 year after recommendation for biopsy on the basis of a positive examination (LungRADS® Category 4B or 4X).
5. **Lung cancer screening CT exam:** is one performed on an asymptomatic individual to detect early, clinically unsuspected lung cancer.
6. **Lung RADS category:** This is a quality assurance tool designed to standardize lung cancer screening CT reporting and management recommendations, reduce confusion in lung cancer screening CT interpretations and facilitate outcome monitoring
  - 0: recalls (incomplete screen)
  - 1: normal, continue annual screening
  - 2: benign appearance or behavior, continue annual screening
  - 3: 6 month CT recommended
  - 4A: 3 month CT recommended; may consider PET/CT
  - 4B: Additional diagnostics and/or tissue sampling recommended
  - 4X: Additional diagnostics and/or tissue sampling recommended

\*It is our recommendation that the CT report contain the Lung-RADS category. If the category is not specifically stated in the report, then assign a category to the LCSR registry case record (this is sufficient documentation from the registry perspective)

# LCSR Measures

<https://www.acr.org/Clinical-Resources/Reporting-and-Data-Systems/Lung-Rads>

Lung-RADS™ Version 1.0 Assessment Categories Release date: April 28, 2014

Category	Category Descriptor	Category	Findings	Management	Probability of Malignancy	Estimated Population Prevalence
Incomplete	-	0	prior chest CT examination(s) being located for comparison part or all of lungs cannot be evaluated	Additional lung cancer screening CT images and/or comparison to prior chest CT examinations is needed	n/a	1%
Negative	No nodules and definitely benign nodules	1	no lung nodules nodule(s) with specific calcifications: complete, central, popcorn, concentric rings and fat containing nodules	Continue annual screening with LDCT in 12 months	< 1%	90%
Benign Appearance or Behavior	Nodules with a very low likelihood of becoming a clinically active cancer due to size or lack of growth	2	solid nodule(s): < 6 mm new < 4 mm			
			part solid nodule(s): < 6 mm total diameter on baseline screening non solid nodule(s) (GGN): < 20 mm OR ≥ 20 mm and unchanged or slowly growing category 3 or 4 nodules unchanged for ≥ 3 months			
Probably Benign	Probably benign finding(s) - short term follow up suggested; includes nodules with a low likelihood of becoming a clinically active cancer	3	solid nodule(s): ≥ 6 to < 8 mm at baseline OR new 4 mm to < 6 mm	6 month LDCT	1-2%	5%
			part solid nodule(s): ≥ 6 mm total diameter with solid component < 6 mm OR new < 6 mm total diameter non solid nodule(s) (GGN) ≥ 20 mm on baseline CT or new			
Suspicious	Findings for which additional diagnostic testing and/or tissue sampling is recommended	4A	solid nodule(s): ≥ 8 to < 15 mm at baseline OR growing < 8 mm OR new 6 to < 8 mm	3 month LDCT; PET/CT may be used when there is a ≥ 8 mm solid component	5-15%	2%
			part solid nodule(s): ≥ 6 mm with solid component ≥ 6 mm to < 8 mm OR with a new or growing < 4 mm solid component endobronchial nodule			
		4B	solid nodule(s): ≥ 15 mm OR new or growing, and ≥ 8 mm	chest CT with or without contrast, PET/CT and/or tissue sampling depending on the *probability of malignancy and comorbidities. PET/CT may be used when there is a ≥ 8 mm solid component.	> 15%	2%
		4X	Category 3 or 4 nodules with additional features or imaging findings that increases the suspicion of malignancy			
Other	Clinically Significant or Potentially Clinically Significant Findings (non lung cancer)	5	modifier - may add on to category 0-4 coding	As appropriate to the specific finding	n/a	10%
Prior Lung Cancer	Modifier for patients with a prior diagnosis of lung cancer who return to screening	C	modifier - may add on to category 0-4 coding	-	-	-

7. **Negative lung cancer screening CT exam** is one that is negative or has benign findings (Lung-RADS® Categories 1 and 2).
8. **Per 1,000 exams:** Measures defined *per 1,000 exams* are calculated as below:  
If there are 12 screening exams with a Lung-RADS category of 3 or 4 that had a tissue diagnosis of cancer within 365 days of screening (numerator) exam out of 2500 screening exams (denominator), the CDR per 1000 exams =  $12/2500 \times 1000 = 4.8$
9. **Positive Predictive Value (PPV):** This includes the following three definitions:
  - a.  $PPV_1$  (abnormal findings at screening): The percentage of all positive screening exams (LungRADS® Categories 3 and 4) that result in a tissue diagnosis of cancer within 1 year.

---

## LCSR Measures

---

An initial screening assessment of Category 3 or 4 is expected to occur approximately 10% of the time, and is more likely to occur on a baseline lung cancer screening CT exam for which the stability of baseline findings has not yet been established.

$$PPV1 = TP / (\text{number of positive screening exams})$$

OR

$$PPV1 = TP / (TP + FP1)$$

- PPV<sub>2</sub> (additional CT imaging recommended): The percentage of all lung cancer screening CT examinations recommended for 6 month LDCT, or 3 month LDCT with or without PET/CT, (LungRADS® Categories 3 and 4A) that resulted in a tissue diagnosis of cancer within one year.

$$PPV2 = TP / (\text{number of screening examinations recommended for additional CT imaging})$$

OR

$$PPV2 = TP / (TP + FP2)$$

- PPV<sub>3</sub>: The percentage of all known biopsies done as a result of positive screening with or without subsequent PET/CT or diagnostic chest CT examinations (LungRADS® Categories 4B and 4X) that resulted in a tissue diagnosis of cancer within 1 year. PPV3 is also known as the Biopsy Yield of Malignancy or the Positive Biopsy Rate (PBR).

$$PPV3 = TP / (\text{number of biopsies})$$

OR

$$PPV3 = TP / (TP + FP3)$$

### 10. Positive screening exam is

- one that requires a 6 month interval low dose chest CT (Lung-RADS® Category 3),
- one that requires a 3 month interval low dose chest CT (Lung-RADS® Category 4A), or
- one that requires chest CT with or without intravenous contrast, PET/CT and/or tissue sampling (Lung-RADS® Category 4B)

## LCSR Measures

---

11. **Tissue diagnosis:** A pathologic diagnosis rendered after any type of interventional procedure, such as CT or fluoroscopy guided biopsy, bronchoscope biopsy, lobar Broncho alveolar lavage or excisional biopsy (VATS or open resection)
12. **True Positive (TP):** Tissue diagnosis of cancer within 1 year after a positive exam (Lung-RADS® Category 3 or 4).